

*1. Unique identification code of the product-type:*

**This declaration covers sets of plastic drainage channel type M for the collection of superficial waters in pedestrian and vehicular areas with cast iron grating EN 1433,**

Drexus Lite	C250 (130x150)
-------------	----------------

*2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*

**All packs have batch codes labels for each batch. These are marked on the packaging of the product. Cast iron components POZ90-1351HC Anti-Heel Cast Iron Grating**

*3. Intended use or uses of the construction product, in accordance with the applicable designated technical specification, as foreseen by the manufacturer:*

**Linear drainage systems for trafficked and domestic uses**

*4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):*

**Marshalls, West Lane Works, Southowram, Halifax, West Yorkshire, HX3 9RG**

*5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):*

**Not applicable**

*6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*

**Attestation Level 3**

*7. In case of the declaration of performance concerning a construction product covered by a designated standard:*

**The centrifuging body Research Institute of Building Materials carried out Initial Type tests, test report no.**

**Drainage Channel 409-9 from 11/04/2016**

**Cast Iron Grating 409-28/1407-1 from 19/12/2016**

*8. In case of the declaration of performance concerning a construction product for which a UK Assessment Document has been issued:*

**Not applicable**

*9. Declared performance*

Essential Requirement	Performance Value		Relevant Clause of BS EN 1433:2002
	Drainage Channel	Cast Iron Grating	
<b>Water Tightness – Jointing of drainage channels</b>	No escape of water noticed	NPD	7.5.1
<b>Load Bearing Capacity, deflection under load Maximum Load</b>	Endured no cracks/no cracks noticed	Endured no cracks/no cracks noticed	7.15
	D400 0,34 / <0,357	C250 0,3 / <0,4	7.16
<b>Permanent Set</b>	NPD	NPD	
<b>Durability</b>	NPD	NPD	6

*Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:*

**Not applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, As it has effect in the United Kingdom” under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Simon Bourne  
Group Operation Director

Date: 29<sup>th</sup> July 2021

Place of Issue: Elland, Halifax, UK