



CONSTRUCTION PRODUCTS REGULATIONS DECLARATION OF PERFORMANCE

Relevant Harmonised Standard		
BSEN 1339:2003		
Products Concrete Paving Flags: Standard Pimple, Coloured Pimple, Pendle, Richmond, 25-38mm Paving, Special Pressed Paving (Commercial) Tegula and/or Drivesett over 295mm area or >4:1 ratio		
Denomination Precast Concrete		
Uses Commercial/Domestic use; for road finishes and covering external pedestrian and vehicular circulation areas. Internal flooring when installed in enclosed e.g. public transport premises (see Marshalls Product Selector brochure for guidance on applications)		
Sittingbourne Works, Eurolink Industrial Estate, Sittingbourne Kent ME10 3NB		
Declared Performance		
Essential Requirement	Performance Value	Relevant Clause EN 1339:2003
Reaction to Fire	Class A1 when used for internal flooring	5.3.7.1
External Fire performance	Deemed to satisfy when used for roofing	5.3.7.2
Emission of asbestos	No Content	4.2
Bending Strength (MPa) & Breaking Load (kN)	>3.5MPa Class 1 >3kN >4.0MPa Class 2 >7kN >5.0MPa Class 3 >14kN	5.3.3 of Annex F
Abrasion Resistance (only classes 3 and 4)	<23mm	5.3.4 of Annex G
Slip / Skid resistance (only when tested)	>45	5.3.5 of Annex I
Durability	Satisfactory	5.3.3.4 & 5.3.5.3
<p>Products are offered in line with the requirements of Attestation Level 4 as designated under the Construction Products Regulations (2011) Annex V. Type testing, routine testing and Factory Production Control documents have been developed and issued for this series of products.</p> <p>I Hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the following Standard when installed in accordance with Marshalls' installation guidelines.</p> <p style="text-align: center;">EN 1339:2003</p>		

Signed:

Full name: Tom Poole

Position: Managing Director
 Group Operations

Date: 4th April 2014