

1. Unique identification code of the product-type:

Cementitious Flooring Screed

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

Birmingham– Longfloor Integracure Liquid Cement Screed CT-25-F6

3. Intended use or uses of the construction product, in accordance with the applicable designated technical specification, as foreseen by the manufacturer:

General Purpose cementitious levelling screed.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Marshalls Mortars and Screeds, Meriden Park, Cornets End Lane, Meriden CV7 7LG

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

Attestation Level 4

7. In case of the declaration of performance concerning a construction product covered by a designated standard:

BS EN 13813:2002

8. In case of the declaration of performance concerning a construction product for which a UK Assessment Document has been issued:

Not applicable

GB Declaration of Performance: MMS-SCREED-204

9. Declared performance

Essential Characteristics	Performance	Relevant Clause of BS EN 13813:2002
Compressive Strength	C25	5.2.1 BSEN 13813:2002
Flexural Strength	F6	5.2.2 BSEN 13813:2002
Reaction to Fire	Class A1	5.3.4 BSEN 13813:2002


Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, As it has effect in the United Kingdom” under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 25th November 2022.

Managing Director Marshalls Mortars and Screeds

Place of Issue: Elland, Halifax, UK

Test data taken from LongFloor DoP Issue 1 June 2021