

## Declaration of Performance: MPIMS-SCREED-175



Marshall's Mono Ltd, Landscape House, Lowfields Business Park, Elland, West Yorkshire HX5 9HT

Registered in England: 509579

1. *Unique identification code of the product-type:*

### **Cementitious Flooring Screed**

2. *Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*

### **Premflow LS**

3. *Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:*

### **General Purpose cementitious levelling screed.**

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):*

**Marshall's Premier Mortars, Plot 5 Derwenthaugh Ind Est, Derwenthaugh Rd, Swalwell, Gateshead, Tyne & Wear, NE16 3BQ.**

5. *Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):*

### **Not applicable**

6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*

### **Attestation Level 4**

7. *In case of the declaration of performance concerning a construction product covered by a harmonised standard:*

### **BS EN 13813:2002**

8. *In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:*

### **Not applicable**

9. Declared performance

Essential Characteristics	Performance	Relevant Clause of BS EN 13813:2002
Reaction to fire (for exposed situations)	Class A1	5.3.4 BSEN 13813:2002
Release of corrosive substances	CT	5.3.5 BSEN 13813:2002
Water permeability	NPD	5.3.8 BSEN 13813:2002
Water vapour permeability	NPD	5.3.6 BSEN 13813:2002
Compressive Strength	35.11 N/mm <sup>2</sup>	5.2.1 BSEN 13813:2002
Flexural Strength	6.15 N/mm <sup>2</sup>	5.2.2 BSEN 13813:2002
Wear resistance (for wearing surfaces)	NPD	5.2.3 BSEN 13813:2002
Sound insulation	NPD	5.3.9 BSEN 13813:2002
Sound absorption	N/A	5.3.10 BSEN 13813:2002
Thermal resistance	N/A	5.3.7 BSEN 13813:2002
Chemical resistance	NPD	5.3.3 BSEN 13813:2002
PH	9.50	5.2 BSEN 13454:2 2019

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

**Not applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

## Declaration of Performance: MPIMS-SCREED-175



Marshalls Mono Ltd, Landscape House, Lowfields Business Park, Elland, West Yorkshire HX5 9HT

Registered in England: 509579

A rectangular box containing a handwritten signature in blue ink that reads "N Bebb".

Nick Bebb

Date: 14<sup>th</sup> October 2019

Managing Director Premier Mortars

Place of Issue: Elland, Halifax, UK

Version History: Version 1, March 2020, Issued due to amended title and registered address.