

Declaration of Performance: MPIMS-SCREED-188



Marshalls Mono Ltd, Landscape House, Lowfields Business Park, Elland, West Yorkshire HX5 9HT

Registered in England: 509579

1. *Unique identification code of the product-type:*

Cementitious Flooring Screed

2. *Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*

Premflow Thermio

3. *Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:*

General Purpose cementitious levelling screed.

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):*

Marshalls Premier Mortars, Eco Park Junction, Eco Park, Salford, Greater Manchester, M27 8RL.

5. *Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):*

Not applicable

6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*

Attestation Level 4

7. *In case of the declaration of performance concerning a construction product covered by a harmonised standard:*

BS EN 13813:2002

8. *In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:*

Not applicable

9. Declared performance

| Essential Characteristics | Performance | Relevant Clause of BS EN 13813:2002 |
|---|-------------------------|-------------------------------------|
| Reaction to fire (for exposed situations) | Class A1 | 5.3.4 BSEN 13813:2002 |
| Release of corrosive substances | CT | 5.3.5 BSEN 13813:2002 |
| Water permeability | NPD | 5.3.8 BSEN 13813:2002 |
| Water vapour permeability | NPD | 5.3.6 BSEN 13813:2002 |
| Compressive Strength | 58.50 N/mm ² | 5.2.1 BSEN 13813:2002 |
| Flexural Strength | 12.01 N/mm ² | 5.2.2 BSEN 13813:2002 |
| Wear resistance (for wearing surfaces) | NPD | 5.2.3 BSEN 13813:2002 |
| Sound insulation | NPD | 5.3.9 BSEN 13813:2002 |
| Sound absorption | N/A | 5.3.10 BSEN 13813:2002 |
| Thermal resistance | N/A | 5.3.7 BSEN 13813:2002 |
| Chemical resistance | NPD | 5.3.3 BSEN 13813:2002 |
| PH | 9.50 | 5.2 BSEN 13454:2 2019 |

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Declaration of Performance: MPIMS-SCREED-188



Marshalls Mono Ltd, Landscape House, Lowfields Business Park, Elland, West Yorkshire HX5 9HT

Registered in England: 509579

A rectangular box containing a handwritten signature in blue ink that reads "N Bebb".

Nick Bebb

Managing Director Premier Mortars

Date: 6th March 2020

Place of Issue: Elland, Halifax, UK