




Marshalls

CONSTRUCTION PRODUCTS REGULATIONS DECLARATION OF PERFORMANCE

Relevant Harmonised Standard BSEN 998-2:2016		
Products Designed Mortar for Masonry (M4)		
Uses General purpose masonry mortars for external elements subject to use in structural applications.		
Marshalls Premier Mortars and Screeds Reading, Within Hadley Yard, Theale Quarry, Dean Corpse Road, Theale, RG7 4GZ Certificate Number 0086-CPR-588683		
Declared Performance		
Essential Requirement	Performance Value	Relevant Clause within EN 998-2
Compressive Strength	Minimum Strength of 4.93 Nmm ²	5.4.1 BSEN 998-2:2016
Bond Strength	Shear Bond	0.15 N/mm ²
	Flexural Bond	NPD
Contents of Chlorides	0.03%	5.4.2 BSEN 998-2:2016
Reaction to Fire	Class A1	5.4.2.2 BSEN 998-2:2016
Water Absorption	0.05 kg/(m ² min ^{0.5})	5.2.2 BSEN 998-2:2016
Water Vapour Permeability	μ 15/35	5.6 BSEN 998-2:2016
Thermal Conductivity	0.83 W/mK (tab. Mean Value P=50%)	5.4.3 BSEN 998-2:2016
Durability	Satisfactory	5.4.4 BSEN 998-2:2016
<p>Products are offered in line with the requirements of Attestation Level 2+ as designated under the Construction Products Regulations (2011) Annex V. Type testing, routine testing and Factory Production Control documents have been developed and issued for this series of products.</p> <p>I Hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the following Standard when installed in accordance with Marshalls' installation guidelines.</p> <p style="text-align: center;">BSEN 998-2:2016</p>		

Signed:



Full Name:

Nick Bebb

Position: Managing Director

Date: 21st September 2017