



Marshalls

CONSTRUCTION PRODUCTS REGULATIONS DECLARATION OF PERFORMANCE

Relevant Harmonised Standard BSEN 13813:2002		
Products Cementitious Flooring Screed CT-C20-F2		
Uses General purpose cementitious levelling screed		
Marshalls Premier Mortars and Screeds Wilstead Road, Elstow, Bedford, MK42 9YU Certificate Number 0086-CPR-588683		
Declared Performance		
Essential Requirement	Performance Value	Relevant Clause within EN 13813
Compressive Strength	21.35 N/mm ²	5.2.1 BSEN 13813:2002
Flexural Strength	3.87 N/mm ²	5.2.2 BSEN 13813:2002
Reaction to Fire	Class A1	5.3.4 BSEN 13813:2002
<p>Products are offered in line with the requirements of Attestation Level 4 as designated under the Construction Products Regulations (2011) Annex V. Type testing, routine testing and Factory Production Control documents have been developed and issued for this series of products.</p> <p>I Hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the following Standard when installed in accordance with Marshalls' installation guidelines.</p> <p style="text-align: center;">BSEN 13813:2002</p>		

Signed:

Full name: Nick Bebb

Position: Managing Director
Premier Mortars

Date: 12th December 2016