

Landscape Protection & Street Furniture Collections



04 Introduction

# 06 A guide to our products

08 Materials range

### 10 Protective products

### **RhinoGuard®**

- 12 PAS68/IWA14-1 bollards
- 16 PAS170 bollard cores
- 17 Protective bollard sleeves
- 18 Post and Rail
- 20 Beam
- 21 Redi-Rock™
- 22 Planters
- 26 Igneo
- 28 Verso
- 32 Verso additional elements
- 33 Eos
- 34 RhinoBlok
- 36 Kirkos
- 38 Geo
- 39 Steel Gatekeeper®
- 40 15/30 range

# Protective automated range

42 Protective automated range

# Street furniture

- 46 Distrikt®
- 50 Natural Elements

44

- 54 Urbain®
- 56 Geo
- 58 Loci
- 60 M3
- 62 Festival
- 64 Metrolinia
- 68 Tenplo
- 70 Citi Elements®
- 72 Coda
- 73 Igneo
- 74 Waterside
- 75 Essentials
- 76 Litter bins
- 80 Planters

# Tree grilles and guards

- 90 Ferrocast®
- 91 Steel

# Bollards

- 92 Ferrocast®
- 98 Rhino
- 102 Concrete and timber
- 104 Telescopic
- 105 Fold down/lift out
- 106 Illuminated

# Street barriers

110 Hooped barriers and light protectors

# 110 Post and Rail

112 Achieving your vision

## Post and Rail systems

- 114 Ferrocast®
- 116 Steel 118 DecorGuard
- 120 Geo

# 122 Active travel

# Segregation solutions

124 Concrete cycle unit 126 ZICLA®

# Bollards

- 128 Contour
- 128 Simbol
- 129 Geo hoop sign
- 129 Sentry
- 130 Manchester
- 130 Night owl
- 131 Sentinel sign 300
- 131 Weebol flex
- 132 Heritage sign 300 visibol
- 132 Rhino supermarket
- 133 Heritage
- 133 Sentinel
- 134 Recycled

# **Traffic calming**

- 136 Speedcheck starter blockramp system
- 136 S ramp system
- 137 Black and yellow rubber speed bump
- 137 Interlocking traffic blocks
- 138 Rubber speed cushion
- 139 Concrete speed cushion

# Cycle stands and racks

- 140 Sheffield
- 140 Red Route
- 141 Fin
- 142 RhinoGuard® Geo
- 142 Geo hoop
- 143 Multi-hoop

# **Cycle shelters**

- 144 Velozone
- 145 Pluto

# 146 Trusted suppliers

- 148 Bellitalia
- 150 Escofet

# 152 Our other products

Marshalls is the UK's leading supplier of landscape products for the built environment. 0


# We're Marshalls. With you, we create better spaces.

Marshalls was established in the 1890s with an enduring set of values. We are committed to doing the right things, for the right reasons, delivered in the right way – ethically and sustainably.

You can find our landscape products in commercial projects and prestigious landmarks throughout the UK, including Trafalgar Square and London's South Bank.

Marshalls Landscape Protection offers a design, engineering and specification approach to street furniture that enables highly effective protective and non-protective solutions to blend seamlessly into urban landscape design.

Our innovations in design, manufacture and technology enable those who design our city spaces to take their visions to the next level.



Right: Igneo seat and stools. Below: RhinoGuard® bollards. Left: Escofet Tramet benches.







A guide to our products

# Understanding our product terms and icons.

Browse our brochure using the below icons and terms as a guide.



# Made in Britain

Certified as a product that has been manufactured in Britain.



# Multi-level products

This product or range can be implemented as protective or non-protective.



# RhinoGuard® technology

Products with this symbol have been manufactured with RhinoGuard® technology and successfully crash tested in accordance with the BSI PAS68 and IWA 14-1 standards, designed to provide effective hostile vehicle mitigation in proportion with all levels of risk, site vulnerability and project budget.



# RhinoGuard<sup>®</sup> 15/30 cores

This product or range can be implemented with RhinoGuard  $^{\odot}$  15/30 cores.

**15/30** means the product can withstand vehicle speeds of up to 30mph from a 1.5 tonne saloon car.



Third party

THIRD

A product supplied by a third party, distributed by Marshalls.

Right: RhinoGuard® Large Giove Planter. Below: RhinoGuard® stainless steel post and rail.







Left: Verso protective and non-protective seating range. Below: Geo® Litter Bin.



# Stylish, sustainable materials for every project.

We offer a wide range of materials to complement any scheme including our unique Ferrocast<sup>®</sup>, plus metal, timber and stone finishes, as well as the option to add colour finishing from powder coating and painting.

# FERROCAST®



Ferrocast<sup>®</sup> is created from an extremely durable, corrosionresistant polyurethane compound which can be cast into any shape, making it extremely versatile.

Ferrocast<sup>®</sup> Marshalls' unique Ferrocast<sup>®</sup> is a durable, low maintenance material, which makes it particularly ideal for use in highly trafficked and coastal areas.

# The benefits of adding Ferrocast® products to your scheme include:

### **Corrosion resistant**

As a non-ferrous material Ferrocast<sup>®</sup> is completely resistant to rust and corrosion.

### Reproductions

Cast iron street furniture which has become degraded can be replicated easily, ensuring the landscape's aesthetics are not affected.

### Durability

Developed for use in mining, quarrying and North Sea oil industries, Ferrocast® can perform in the toughest of environments.

### Minimal maintenance

The two-part polymer, heavy-duty coating is proven to last in excess of ten years, even in coastal environments.

### **Polymer pigmented**

Polymer is pigmented to closely colourmatch the painted finish.

**Products delivered to site pre-painted** No on-site painting required.

# Non-freezing

Ferrocast<sup>®</sup> will not freeze which makes it ideal for coating rails ensuring they aren't cold to the touch.

# Versatility

Ferrocast<sup>®</sup> can be shaped into almost any style with a simple moulding process, giving the designer absolute freedom. Fully coordinated ranges of bespoke street furniture can be created.









METAL

steel



steel

steel

WOOD PLASTIC COMPOSITE




NATURAL STONE



Full range of natural stone available. Named stones are examples.

# STANDARD POWDER COATED/PAINTED COLOURS







# RUBBER



# PLASTIC

MDPE

plastic





100% Rotationally recycled plastic

Recyclable moulded MDPE HDPE plastic

# CONCRETE

Light

grey

Mid	Charcoal	Mid grey	Charc





grey





# Natural Red

# PRECIOUS STONE EFFECT

White	Cream	Yellow	Red	Multi
carrara	botticino	mori	verona	veneziano

10	2 <b>.</b>		
Green	Black	White	Grey
alps	ebony	granite	granite



Look for our FSC<sup>®</sup>-certified products

The mark of responsible forestry FSC\* C133609



# **BESPOKE POWDER COATED COLOURS**

Fossil	Pebble shore	Red oxide	Grey oxide	Bronze

# TIMBER



# Protective products Landscape Protection

# Reasons to trust our protective products



# RhinoGuard® technology

We offer a range of products incorporating Marshalls' own protective RhinoGuard® technology.



# **UK security accreditations**

Our products are manufactured and tested to the latest security accreditations in the UK.



# A wide choice of products

We offer a comprehensive collection of creative solutions.



# Led by design

A design-led approach to urban security products.

Making living and working in urban surroundings safe.

Marshalls Landscape Protection offers design-led Hostile Vehicle Mitigation products enabling highly effective protection to blend seamlessly into urban landscape design. This allows architects, planners and designers to install security measures without instilling fear.

In most cases, crash-tested products are developed with minimal consideration given to the aesthetic, however Marshalls has flipped this on its head by creating solutions that are successfully crash tested and also aesthetically designed.

Our products are manufactured and tested to the latest security accreditations in the UK.

We believe in the importance of creating safe, attractive and inviting environments, and regenerating spaces where people want to spend time, and where they feel safe, not scared.

From planters, seating and cycle stands to litter bins and bollards, the portfolio presents a comprehensive collection of creative HVM solutions.

# For more inspiration visit:



marshalls.co.uk/commercial/ landscape-protection





# RhinoGuard® technology

RhinoGuard® technology ensures an assured level of protection for those responsible for designing public spaces.

# RhinoGuard® PAS68/IWA14-1 bollards

Designed to fulfil aesthetic and security needs, RhinoGuard<sup>®</sup> bollards have a wide selection of sleeve options, various fixing types and foundation depths available to suit all schemes.

All cores have been tested from 1.5 tonnes to 7.5 tonnes at various speeds up to 50mph.

For example 15/30 = 1.5 tonne vehicle @ 30mph

\* Core security rating:

HINOGUARE ECHNOLOG

Sleeves are available with optional grooves and hazard banding tape.

									5
Test standard	Security rating *	Core diameter (mm)	Height above ground allowing for finishes (mm)	Steel	Stainless steel	Ferrocast <sup>®</sup>	GEO stainless steel	GEO LED marker	Decorative sleeve
PAS 68	15/30	114	865	✓	~	~	✓	<b>√</b>	~
PAS 170	25/10	75	800	~	<ul> <li></li> </ul>	~	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	~
PAS 170	25/20	139	800	~	<ul> <li>Image: A set of the set of the</li></ul>	~	~	<ul> <li>Image: A second s</li></ul>	~
		168	865	✓	~	~	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A second s</li></ul>	~
PAS 68	25/40	168	868	✓	~	~	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A second s</li></ul>	~
IWA 14.1	35/30	139	900	✓	~	~	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A second s</li></ul>	~
IWA 14.1	72/30	N/A	787	~	~	~	✓	<ul> <li>Image: A set of the set of the</li></ul>	~
IWA 14.1	72/40	194	990	<ul> <li>Image: A set of the set of the</li></ul>	~	~	✓	<ul> <li>Image: A second s</li></ul>	~
IWA 14.1	72/50	244	935	~	~	~	~	<ul> <li>Image: A second s</li></ul>	~
PAS 68	75/30	194	858	~	~	~	~	<ul> <li>Image: A start of the start of</li></ul>	~
		244	1000	~	<ul> <li></li> </ul>	~	~	<ul> <li>Image: A set of the set of the</li></ul>	~
PAS 68	75/40	168	1005	~	<ul> <li></li> </ul>	~	~	<ul> <li>Image: A second s</li></ul>	~
		194	1000	~	~	~	~	<ul> <li>Image: A second s</li></ul>	~
PAS 68	75/50								

<

1

1

1

/

 $\checkmark$ 

244


1030

The RhinoGuard® bollard

sleeve options

# Foundation types

The RhinoGuard® bollards come with a range of foundation types, including the ultra shallow which requires only 50mm depth.



# RhinoGuard®

Designed to fulfil your aesthetic and security needs.






# **RhinoGuard®** PAS170 bollard cores

PAS170 delivers a testing standard for vehicles at 2.5 tonnes travelling between 10mph and 20mph. The RhinoGuard® successfully crash tested PAS170 solutions provide assurance against lower speed ram-raids and impacts.

Sleeves available in various styles go to page 12



Each bollard core is available galvanised, or galvanised and powder coated.



### SECURITY SPECIFICATION





	PAS170 25/10	PAS170 25/20	
Height (mm) 800			
Foundation W x D x H (mm)	3380 x 700 x 200		
Core diameter (mm)	75	139	
Core weight (kg)	45	55	



# RhinoGuard® Protective bollard sleeves

Our range of slee flexibility to choo space and the su

SECURITY RATING


Up to 75/50






eeve options gives you the	MATER	IALS	MATERIA	LS	MAT	FERIALS
oose a design to suit your surroundings.	Metal	Finishes	Metal	Finishes	Stor	
	Mild	Galvanised Painted in any	Stainless	Brushed satin	Thor	nlake Proteus Callisto Brackendal
S OPTIONS	steel	RAL colour	steel			
formation go to						
	- Mild steel		Stainless steel		Natural stone	
	Height (mm)	1000	Height (mm)	1000	Height (mm)	1000
	Dia. (mm)	168 / 194 / 204 / 273	Dia. (mm)	129 / 154 / 204 / 254	Dia. (mm)	Dependent on core
	MATER	IALS	MATERIA	LS	MAT	TERIALS
	Ferrocas	st®	Metal	Finishes	Meta	al Finishes
	Painted i RAL colo	n any ur	Stainless steel	Bead blasted Polished (top cap only)	Stair steel	
					Patt	ern








Ferrocast		Geo		Decorative	Decorative		
Height (mm)	1000	Height (mm)	1000	Height (mm)	1000		
Dia. (mm)	Assorted sizes	Dia. (mm)	140 / 204 / 254	Dia. (mm)	204 / 254		

Protective products

# RhinoGuard® Post and Rail

Our range of protective post and rail systems are designed to safely separate pedestrians and traffic, as well as defend against intended and accidental vehicular incidents.

Our post and rail offering comes in a range of finishes, styles and materials giving customers the ability to choose a design that blends into the existing environment.



# SECURITY SPECIFICATION



Various ratings available with a 7.2 tonne vehicle at 50mph being the strongest specification





\* For example, 15/30 = 1.5 tonne vehicle travelling at 30mph.

Core security rating*	25/10	25/20	35/30	72/30	72/40	72/50	15/30	25/40	75/30	75/40	75/50
Test standards	PAS	170		IWA	14.1				PAS 68		
Stainless steel	~	~	~	~	~	~	~	~	~	~	~
Mild steel	<ul> <li>Image: A start of the start of</li></ul>	~	~	~	~	~	~	<ul> <li>Image: A set of the set of the</li></ul>	~	~	~
GEO	<ul> <li>Image: A start of the start of</li></ul>	~	~	~	~	~	~	~	~	<ul> <li>Image: A second s</li></ul>	~
DecorGuard	~	~	~	~	~	~	~	~	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A start of the start of</li></ul>	~










	Stainless	Mild steel	Geo	DecorGuard		
Height (mm)	1000					
Base diameter (mm)	Various diameters available, dependent on rating requirements					
Finish	Brushed	Powder coated	Bead blasted	Powder coated		
Fixing type (mm)	Root fixed					

# RhinoGuard® Beam

Incorporating the RhinoGuard® Ultra Shallow 50®, the RhinoGuard® Beam has been crash tested to the IWA 14.1 standard and can successfully stop a 7.2 tonne vehicle travelling at 30mph.

With tailored length options available to suit the scheme's requirements, the protective barrier has the capability of spanning manholes, services, chambers and other obstacles, whilst allowing for expansion and contraction. It can also be used on bridges and other areas where underground service and utilities affect installation.



# MATERIALS

Metal Finishes



Mild Powder coated steel any RAL colour

# SECURITY SPECIFICATION



V/7200(N2A)/48/30:0 Beam impact test Tested with a 7.5 tonne vehicle at 30mph



# Tested dimensions

(can be modified to suit requirements)

Height (mm)	872			
L x W (mm)	5670 x 150			
Weight (kg)	721			
Foundations	Type and dimensions dependent on core selection			



# **RhinoGuard**<sup>®</sup>

# RhinoGuard® Redi-Rock™

Proven to stop a 7.5 tonne truck at 30mph, the Redi-Rock<sup>™</sup> HVM wall is an effective removable solution that requires minimal maintenance.

Interconnected with steel cables and zero ground anchors, the freestanding blocks are fast to install with no ground work required. Its natural stone appearance ensures Redi-Rock<sup>™</sup> blends into the background, protecting surroundings without looking out of place. The solution is therefore ideal for use in crowded places, transport hubs, utility and critical infrastructure as well as buildings of high importance. Limestone



Cobblestone






Only tested with a 7.5 tonne vehicle at 30mph

### AVAILABLE ALTERNATIVES

The Redi-Rock  $^{\rm \tiny M}$  system is also available as a standard walling system for the retention of earth, landscaping and flood protection applications.









Ledgestone



Height (mm)	Variable
Fixing type	Freestanding



# RhinoGuard® Planters

Introducing planters can help make a space feel more welcoming while introducing greenery into urban environments. Our HVM planters offer protection that can be placed alongside other protective elements or used standalone to prevent vehicle access. The variety of materials used offer durability and longevity.





### SPECIFICATION

Overall height and capacity of each planter is dependent on core selection.

Large Giove	
Height (mm)	1100
Dia. (mm)	1900
Weight (kg)	3005

# MATERIALS

Precious stone effect





# SECURITY SPECIFICATION





 Height (mm)
 735

 Dia. (mm)
 1500

 Weight (kg)
 1500

# MATERIALS

Small Giove

Precious stone effect



### SECURITY SPECIFICATION





# Saturno

Height (mm)	1198
Dia. (mm)	1495
Weight (kg)	2393

# MATERIALS

### Precious stone effect

			P.	-
White carrara	Cream botticino	Yellow mori	Red verona	Multi veneziano
14				
Green	Black ebony	White granite	Grey granite	

### SECURITY SPECIFICATION









RhinoGuard® Planter

Left: Large Giove planter. Above: Small Giove planter.

# **RhinoGuard®** Planters





### Timber/steel

Height (mm)	950					
W & L (mm)	1200 x 1200	1800 x 1200	1800 x 600			
Weight (kg)	192	230	180			

# MATERIALS

Timber



FSC®-certified hardwoods

Heavy duty steel frames can be powder coated in any RAL colour to suit your scheme

Metal


Mild

steel

### SECURITY SPECIFICATION







# MATERIALS

Precious stone effect

White

carrara



verona

veneziano



mori

### SECURITY SPECIFICATION

botticino







### Perennial


Height (mm)	1050
W & L (mm)	1800 x 600
Weight (kg)	176

# MATERIALS

Metal



Powder coated in any RAL colour











### Orione

Height (mm)	816
Dia. (mm)	520
Weight (kg)	242

### MATERIALS

### Precious stone effect

White carrara	Cream botticino	Yellow mori	Red verona	Multi veneziano
14				
Green alps	Black ebony	White granite	Grey granite	

### SECURITY SPECIFICATION







# RhinoGuard® Igneo

Successfully crash-tested on two occasions, our RhinoGuard® Igneo seat can be paired with smaller, non-protective complementary chair and block units to create a protective scheme without being obtrusive.

The full range is manufactured with highly durable pre-cast concrete.

# Concrete





SEAT MATERIALS





Painted in any RAL colour


### SECURITY SPECIFICATION



V/7500(N2)/64/90:3.7/0.0 : Front impact test V/7500(N2)/64/90:3.5/0.0 : Gap impact with bollard test







L x W x H (mm)	3167 x 1115 x 878
Seat height (mm)	434
Weight (kg)	3400
Foundation dimensions (mm)	2400 x 1600 x 500



The Igneo seat can be extended to the length you require by adding in extra centre modules.

Igneo arm rests are manufactured from Ferrocast<sup>®</sup> which provides longevity, durability and requires virtually no maintenance.





# RhinoGuard® Igneo

Left: Igneo seat with Ferrocast® armrests. Right: Igneo seat paired with stools.

# Verso

Modular in nature, Verso can be used to create unlimited configurations or as standalone pieces.







# RhinoGuard® Verso

Highly versatile in shape and design, Verso allows for a mix of protective and nonprotective elements to be used in unison across a single project.

Comprising of blocks with seating and planter additions, Verso modules can be used to create unlimited configurations or as standalone pieces.

The low height profile means the range is unobtrusive and the concrete colours on offer allow for the range to complement existing surroundings.

Lifting loops are sold separately.

MATERIALS



Light Mid Charcoal Mid grey Charcoal grey grey conservation conservation

rcoal V/7200(N2

Metal



Wood plastic composite



Timber



FSC®-certified hardwoods



SECURITY SPECIFICATION



V/7200(N2A)/48/90:3.7 | V/1500(M1)/48/90:5.4







	90 k	olock	600	block		1200 block			1800 curve block		1200 planter
Rating options	Unrated	15/30*	Unrated	15/30*	Unrated	15/30*	72/30*	Unrated	15/30*	72/30*	Unrated
Weight (kg)	517.5	542.5	500	525	1000	1050	1160		1591		106
Dimensions (mm)	900 x 9	00 x 600	600 x 6	00 x 600		1200 x 600 x 600 2093 x 797 x 600 (max dimension)		nension)	1200 x 600 x 600		
Height above ground (mm)		550									
Foundations (mm)	900 x 900 x 50	900 x 900 x 300	600 x 600 x 50	600 x 600 x 300	1200 x 600 x 50	1200 x 600 x 300	1800 x 1400 x 300	2093 x 797 x 50	2093 x 797 x 300	2093 x 1800 x 300	N/A
Fixing methods	Sub-surface mounted										

# **RhinoGuard**<sup>®</sup> Verso additional elements

Optional extras for the Verso 1200 Block give you the opportunity to enhance the space with the inclusion of planters and seating.

SEAT MATERIALS

Timber



FSC®-certified hardwoods

Wood plastic composite



### ARM REST MATERIALS

Metal



in any RAL colour steel

### ARM REST OPTIONS





1200 bench top

1200 double bench top





1200 block mounted planter

1200 seat top





	1200 1200 bench top double bench top		1200 seat top	1200 block mounted planter
Weight (kg)	30	50	40	185
Dimensions (mm)	1200 x 440 x 292	1200 x 694 x 292	1200 x 499 x 664	1200 x 693 x 606
Height above ground (mm)	595 (	(max)	967 (max)	909

# RhinoGuard® Eos

The RhinoGuard<sup>®</sup> Eos seat is contemporary in appearance whilst offering functionality and strength.

The seat frame has been successfully crash-tested three times and is manufactured using hardwood timber, natural stone and Ferrocast<sup>®</sup>.

# Seat ARM REST MATERIALS

END PANEL MATERIALS



Ferrocast<sup>®</sup>




Powder coated in any RAL colour

SECURITY SPECIFICATION



V/7500(N2)/48/90:3.1/0.0 - Rear impact test V/7500(N2)/48/90:0.0/0.0 - Front impact test V/7500(N2)/48/90:2.7/0.0 - Gap impact test with bollard









Manhattan



# COMPLEMENT IT

Our RhinoGuard<sup>®</sup> Eos seat works well with our HVM bollards, if you require a full protective offering.



Height (mm)	2166 x 678 x 887
Seat height (mm)	460
Weight (kg)	190
Foundation dimensions (mm)	2400 x 1000 x 430



# RhinoGuard® RhinoBlok

RhinoGuard<sup>®</sup> RhinoBlok provides inner strength and outer beauty.

The RhinoBlok can be used to create seating or planter systems using additional timber cladding extras or can be used as a central planter core, creating the perfect complementary range.



# SEAT MATERIALS



ss Powder coated or

brushed in any RAL colour

Stainless steel

SECURITY SPECIFICATION



V/7200(N2A)/64/90:19.3







Concrete Precast for utmost durability and ease of implementation.

Mild steel planter sleeve

RhinoBlok	lok Bench 1000				ench 1600	Timber planter sleeve		
	RhinoBlok	Timber top	Bench 1000	Bench 1600	Seat 1000	Seat 1600	Timber planter sleeve	Mild steel planter sleeve
Weight (kg)	2500	50	35	50	45	65	300	295
Height above	580	630	10	)40	13	85	100	00
ground (mm)								
ground (mm) Overall height inc. root (mm)	710	760	11	70	15	15	113	30
Overall height		760	11	630	15	15	113 N//	
Overall height inc. root (mm)	710		11 1000 x 460		15 1000 x 515	115 1600 x 515		A

Seat 1600

Timber top

Seat 1000

# **RhinoGuard®** Kirkos

RhinoGuard<sup>®</sup> Kirkos is an innovative street furniture collection that provides a simple yet effective way of enhancing the environment whilst providing the appropriate level of protection required.

Kirkos is made up of five standard solutions which are designed around a bollard centrepiece, overlaid with a ribbon of powder coated mild steel, or with a planter as the central focal point.



Powder coated in any RAL colour

# SECURITY SPECIFICATION



Various ratings available with a 7.2 tonne vehicle at 50mph being the strongest specification.







Single	hoop	seat
--------	------	------





Twist seat



Planter

Double hoop seat

Double planter seat





	Singe hoop seat	Double hoop seat	Twist seat	Planter	Double planter seat
Weight (kg)	110	235	240	195	310
Height above ground (mm)		1090		1200	1200
Overall height inc. root (mm)			Dependent on core selection		
Seat height (mm)		500		N/A	500
L x W (mm)	1740 x 1370	3130 x 1370	2730 x 2320	1945 x 365	2766 x 1350
Foundations		Туре	e and dimensions dependent on core sele	ction	·

## **RhinoGuard®** Geo

The coordinated Geo range with integrated RhinoGuard<sup>®</sup> protective technology reflects the best of modern urban design: simplicity, sustainability and robust materials in a low profile form.

Manufactured using a bead blasted grade 316 stainless steel and polished cap, the Geo products are exceptionally strong and require low maintenance.

#### MATERIALS

Metal



Stainless steel

#### **BOLLARD CORES**

Various bollard cores are available depending on the security rating required for your project (applies to litter bin and cycle stand only).

SECURITY SPECIFICATION



RHINOGUARD® TECHNOLOGY

PROTECTIVE & NON PROTECTIVE



Post and rail





Bollard

Cycle stand

	Post and rail	Litter bin	Cycle stand	Bollard
Height (mm)	1106	1299	1100	1000 / 1100
L x W / Diameter (mm)	1000 / 1500 / 2000 x 76	500	1700 x 1132	140 / 204 / 254
Weight (kg)	Core dependant	46-51	18 - 28	90 / 180 / 210



MADE IN BRITAIN

## RhinoGuard® Steel Gatekeeper®

Providing temporary protective measures for crowds during Christmas markets or sporting events, the RhinoGuard® Steel GateKeeper® has been successfully crash tested to IWA 14.1, providing protection against vehicles up to 2.5 tonnes travelling up to 30mph.

The tested solution is pedestrian permeable, with vehicle access points and requires no anchorage in any form. This means GateKeeper® can be quickly deployed across all surfaces without relying on kerbs or structural aids.





#### SECURITY SPECIFICATION



V2500(N1G)/48/90:5.2 - 11 unit crash test V2500(N1G)/48/90:11.7 - 5 unit crash test







Customise GateKeeper® by powder coating or adding a custom branded shroud.



L x W x H (mm)	1265 x 1876 x 1093
Weight (kg)	245

## RhinoGuard® 15/30 range


The RhinoGuard® 15-30 street furniture range has been developed to offer affordable protective street furniture solutions to a wide range of projects.

The range delivers IWA14.1 rated options that can withstand a 1500kg vehicle travelling at 48kph. The stylish, protective pieces negate the need for bulky and obtrusive products, enabling creativity in the design of our public spaces.


The portfolio offers rated versions of the popular Distrikt<sup>®</sup>, Festival, Geo, M3, Natural Elements and Urbain<sup>®</sup> seats and benches, and the Natural Elements bin.



**15/30 cores** can be applied to specific ranges within our street furniture offering, highlighted using this icon.







# Protective automated range

Designed for the utmost convenience, our automated range promises slick design and high quality materials coupled with efficient installation and ease of use.





Various ratings available with a 7.5 tonne vehicle at 50mph being the strongest specification





Gates

Blockers



	Bollards	Blockers	Gates
Height (mm)	1000 (max)	1100 (max)	2400
Base width (mm)	350 (max)	4000 (max)	4200
Available ratings	75/30, 75	/40, 75/50	75/40, 75/50

Dimensions Heights and widths vary depending on rating.

Bollards





Customise automated bollards with a range of reflective banding options, as well as LED lighting for heightened visibility.



#### Street furniture Stunning schemes brought to life


## Reasons to trust our street furniture products



#### A wide choice of products

We offer a comprehensive collection of creative solutions.







#### Made in Britain

All of Marshalls own brand street furniture is Made in Britain.



#### FSC®-certified material

Some of our street furniture includes wooden elements which are manufactured from FSC<sup>®</sup>-certified timber.

Making urban landscapes comfortable, accessible and visually appealing.

Marshalls' Street Furniture collection combines inspirational, versatile and practical solutions to enhance the look and feel of public spaces. Our extensive range of landscape furniture includes planters, seating, cycle stands, bollards and litter bins, with numerous designs to complement a variety of different schemes.


We understand the importance of creating safe and comfortable environments that are inviting to members of the public. Our teams in engineering, design and manufacturing work with a reliable network of suppliers to deliver desirable solution-based designs to public spaces, housing developments, event facilities, places of worship and many more.

Our experts are equipped with industry knowledge and know-how to provide a complete service from design through to installation. We pride ourselves on being able to support architects, specifiers and installers get the most out of their schemes.

#### For more inspiration visit:



marshalls.co.uk/commercial/ landscape-protection





## An extensive product range

From planters, seating, cycle stands, bollards and litter bins, we offer a broad range of products to complement any scheme.

## The possibilities are endless with Distrikt<sup>®</sup>

A customisable seat and bench collection that offers truly unlimited combinations and choices.





## **Distrikt**®

Distrikt<sup>®</sup> is a linear, free-flowing timber range designed to fit into a multitude of environments and is the perfect solution for projects requiring aesthetically pleasing, practical seating.

The collection is made up of a customisable seat and bench that offers unlimited combinations and choices.

Straight bench



Curved bench



 MATERIALS

 Timber
 Metal

 FSC®-certified
 Mild

 hardwoods
 Powder coated



Go to page 40 to learn more about our protective Distrikt<sup>®</sup> offering.



Straight bench with arms



Curved bench with arms










	Straight bench	Straight bench with arms	Curved bench	Curved bench with arms	Straight seat	Straight seat with arms	Inward curved seat	Inward curved seat with arms	Outward curved seat	Outward curved seat with arms	Table
Weight (kg)	108	115	151	158	133	138	187	192	186	192	163
Height above ground (mm)	480	670	480	670	880	880	880	880	880	880	794
Seat height (mm)	480	480	480	480	480	480	480	480	480	480	N/A
L x W (mm)	1970	x 470	2549	x 873	1970	x 486	2571	x 890	2549	x 885	1900 x 690

## **Natural Elements**

The Natural Elements collection is inspired by biophillic design with a signature cell-like pattern and is manufactured using steel and FSC®-certified timber.

The versatile seating options can be complimented by additional elements such as bollards or litter bins to encourage unison across a scheme.





Go to page 40 to learn more about our protective Natural Elements offering.





Convex bench

Concave bench



Seat



Planter



50



	Convex bench	Seat	Concave bench	Planter	60° radius corner	45° radius corner	Concave bench	Cycle stand	Bollard	Seat with arms	Planter	Litter bin
Weight (kg)	89	140	89	91	16	40	89	9	23	140	91	87
Height above ground (mm)	500-550	899	450-500	500	500	500	450-500	700	1000	899	500	1040
Seat height (mm)	500-550	500	450-500	N/A	500	500	450-500	N	/Α	500	N	/A
L x W (mm)		1640 x 500		1200 x 500	570 x 468	881 x 500	1790 x 500	70 x 500	140 x 90	1790 x 500	1350 x 500	600 x 480

## **Natural Elements**

Personalise your product: bespoke configurations are available with playful modules



STEP 3

B. END PANEL WITH ARMREST L - 500mm, H - 670mm, W - 75mm

#### STEP 4

Select transition modules to change direction

Modules can be configured in any sequence.

#### STEP 5

Finish with end panel

Please see step 1.

#### STEP 6


Ancillary elements

Ancillary elements such as litter bin, bollard or cycle stand are also available to maintain the design language. Standalone seat and bench also available.

#### UNLIMITED FLEXIBILITY

with Natural Elements

Mix and match from the selection of playful components to create unlimited configurations.






## **Urbain**®

Urbain<sup>®</sup> is a modular seating system designed to fit perfectly into a variety of urban settings.

The customisable seating arrangement includes a breadth of options ranging from armrests, single, double and triple backrest variations and table attachments.



MAKE IT PROTECTIVE

To learn more about our protective Urbain offering go to page 40





Seat

Bench





Seat with arms

Bench with arms







Wooden seating slat options

 $\mathsf{FSC}^{\otimes}\text{-}certified hardwood seating slats as standard, with other timber species available on request.$ 

	Seat	Seat with arms	Bench	Bench with arms	Seat with double backrest	Seat with double backrest and arms	Seat with 2 single backrests	Seat with 2 single backrests and table	Table
Weight (kg)	100	105	80	85	90	95	5	115	95
Height above ground (mm)	8	45	450	640		84	45		750
Seat height (mm)				4	50				N/A
L x W (mm)					2400 x 500				

55

Geo is a comprehensive street furniture range that reflects modern design through the use of timeless materials and finishes.

The Geo range combines the highest quality 316 grade stainless steel with a bead blasted finish, and seating products made with hardwood for excellent weather resilience and heavy usage durability.

Geo is also available in protective options; either RhinoGuard<sup>®</sup> or applying the 15/30 core to the seating elements.

Available root fixed.





To learn more about our protective Geo offering go to pages 38-41





Street furniture



Seat



Bench



Balustrade




	Seat	Bench	Balustrade	Hoop cycle stand	Litter bin	Bollard	Marker bollard	llluminated bollard
Weight (kg)	80	70	Variable	8	46	12	13	13
Height above ground (mm)	790	440	1106	850	1299		1100	
Seat height (mm)	4	40			Ν	I/A		
L x W (mm)	1800 x 525	1800 x 675	1000-2000 x 76	550 x 850	500 x 500	140	140	140


Loci


The flexible design of Loci has a distinctive lightness. Uniquely asymmetric, with an eyecatching ribbon of colours, the collection offers enormous potential for creativity.

The ability to customise with vibrant colours makes Loci perfectly suited to schools, parks and university schemes.









Bollard and cycle stand are available with a timber infill.

	Bench	Table	Seat	Single seat	Stool	Bollard	Bin	Cycle stand	
Weight (kg)	40	90	28	27	22	80	80	18.2	
Height above ground (mm)	460	760	800		590	1100		800	
Seat height (mm)	460	N/A		460			N/A		
L x W (mm)	1600 x 380	1600 x 745	1600 x 455	600 x 455	600 x 380	140 x 80	525 x 420	500 x 50	

Manufactured from 316 grade stainless steel the stylish and versatile M3 collection will require little future maintenance to retain their original, good looks.

The sleek stainless steel design style runs throughout the range offering a contemporary solution for almost any landscape.

Each slat is wrapped around the top and lower supporting tubes and welded at three points of contact. This ensures rigidity and strength in the structure.

Available root fixed or surfaced mounted.

MATERIALS


Metal

Stainless steel

MAKE IT PROTECTIVE

To learn more about our protective M3 offering go to page 40





Seat Curved seat Serpentine bench THE HURDEN /////IIIIIII 77 End options Available in inward facing and outward facing at 90 degree ends. Bench Curved bench Back to back Litter bin 110L capacity 7 1 Arm rest options All seats and benches are available with and without armrests. Table Bollard Bollard flat top mitre top Market Constraints

	Seat	Curved seat	Bench	Curved bench	Back to back	Table	Litter bin	Serpentine bench	Bollard flat top	Bollard mitre top
Weight (kg)	67	78	52	64	67	90	50	Variable	15-30	15-27
Height above ground (mm)	820 450				820	750	859	450	900	900
Seat height (mm)			450			N/A				
L x W / Dia. (mm)	1800 x 533	2228 x 535	1800 x 525	2228 x 525	1800 x 1066	1800 x 700	630	3625 x 525	114	114/168

## Festival

The Festival range combines comfort and functionality to deliver high quality street furniture options for almost any type of scheme.


Manufactured in high quality galvanised and powder coated steel, the Festival range can cope with the rigours of any urban environment ensuring longevity and durability.



MAKE IT PROTECTIVE

To learn more about our protective Festival offering go to page 40








	Seat	Curved seat	Bench	Curved bench	Back to back	Table	Litter bin	Serpentine bench
Weight (kg)	67	78	52	64	67	90	45	Variable
Height above ground (mm)	82	20		450	820	750	650	450
Seat height (mm)			450				N/A	
L x W (mm)	1800 x 533	2228 x 535	1800 x 525	2228 x 525	1800 x 1066	1800 x 700	435 x 435	3625 x 525

## Metrolinia

Manufactured in precast concrete, Metrolinia is a series of building blocks allowing developers to create spaces where people can feel safe and social at the same time.

The range allows designers to overcome a number of landscape challenges with a range of transition modules and corners to be able to navigate spaces with ease.

Jointing brackets and lifting loops are sold separately.



Natural stone











#### Unit options

All units are available as intermediate, end or stand alone units.

	Radius end	Square end	S	eat	Be	ench	Planter	Radius corner	Inte	rmediate
			600	1200	600	1200			600	1200
Weight (kg)	370	382	450	900	440	880	234	904	382	760
Height above ground (mm)					2	156				
Seat height (mm)					2	156				
L x W (mm)		600 x 600		1200 x 600	600 x 600	1200 x 600	600 x 600	1200 x 1200	600 x 600	1200 x 600

## Metrolinia

Use the Metrolinia modules to create your vision.






## Tenplo

Tenplo is manufactured from precast concrete and is brutalist-inspired.

It combines linear style with angled geometry to offer understated, sophisticated character.

The modular nature of the range makes it extremely versatile while its unique detailing offers a desirable aesthetic.







grey

Light grey	Mid grey	Charcoal	Mid grey conservation	Charcoal conservation

MADE IN BRITAIN לשל FSC






	Hollow bench	Hollow chair	Hollow left-hand blok	Hollow right-hand blok	Square blok		Transition blok	Cycle blok	Planter blok	Litter bin
Weight (kg)	280	198	25	58	380		776	340	258	280
Height above ground (mm)	440	630				440				805
Seat height (mm)			44	40					N/A	
L x W (mm)	1200 x 600	700 x 600	1000 x 600	1500 x 600	2000 x 600		1193 x 500	600 x 600	1200 x 600	500 x 500

## Citi Elements®

Citi Elements® provides customisation at affordable prices in various materials and finishes.

The multi-material design means there is a configured solution to suit almost any landscape.


The range is built with eco-friendly materials, including wood plastic composite and FSC®-certified hardwood timber.




#### Wood plastic composite

Dark Black Slate grey grey grey brown







Manufactured from concrete, the Coda range offers a modern exposed aggregate appearance while being extremely durable.

MATERIALS	
Timber	Metal
Hardwoods	Mild steel

All mild steel parts are powder coated in RAL 9007 (grey aluminium) matt.

Concrete

Light grey	Mid grey	Charcoal	Mid grey conservation	Charcoal conservation



Seat

Bench







Table

	Seat	Bench	Table
Weight (kg)	260	250	400
Height above ground (mm)	496	470	700
Seat height (mm)	4	N/A	
L x W (mm)	1920	1920 x 596	

This coordinated concrete modular system offers contemporary styling combined with functionality and maximum robustness.

Ferrocast<sup>®</sup> armrests have a long life span and require virtually no maintenance.

Charcoal

Mid Grey

conservation

Charcoal

conservation

Chair Stool Seat Intermediate Armrest seat module RH seat module module LH seat module K Made from precast concrete for a robust form.

ARMREST MATERIALS

Mid

grey

SEAT MATERIALS

Concrete

Light

grey



MAKE IT PROTECTIVE

To learn more about our protective Igneo offering go to page 17

PROTECTIVE &

MADE IN BRITAIN

	Seat	LH seat module	Intermediate seat module	RH seat module	Armrest module	Chair	Stool
Weight (kg)	Variable	1021	1200	1021	45	1100	240
Height above ground (mm)			878			861	500
Seat height (mm)	479 N,			N/A	488	500	
L x W (mm)	1200 x 600	1037 x 1115 60		60 x 1115	600 x 600	1200 x 600	

Street furniture

# Waterside

Manufactured from Ferrocast®, the Waterside collection is extremely durable and won't rust or corrode. It's clean, simple lines complement any landscape.





#### COMPLEMENT IT

A post and rail system is also available to complement the Waterside street furniture range.



#### RAIL UNIT OPTIONS FOR POST AND RAIL





ŧ	ŧ	
5 rail unit	6 rail unit	

	Seat	Bollard	Cycle stand
Weight (kg)	130	25	18
Height above ground (mm)	871	1000	850
Seat height (mm)	488	Ν	/Α
L x W (mm)	2110 x 893	175 x 175	460 x 175

Seat



Bollard

# Essentials

Essentials is a range of functional street furniture at great value prices offered in a choice of finishes. Available in 304 stainless steel, powder coated steel or timber slats.

The design and material is the perfect choice for the demands of retail and business parks, car parks and walkways. Introducing seating spaces within these public areas provides comfort and accessibility.

Surface mounted seating for easy installation.

Metal

Mild

steel

A choice of finishes are available including

Stainless

steel



304 grade stainless steel.

MATERIALS

FSC®-certified

hardwoods

Timber

	Surface mounted cycle stand	Root fixed cycle stand	Root fixed cycle stand with tapping bar	Seat	Bench
Weight (kg)	7	8	10	41	26
Height above ground (mm)	750			800	452
Seat height (mm)	N/A			4	52
L x W (mm)	798 x 100			1800	x 500


# Litter bins

Whatever the size and scale of your project, Marshalls can help with your waste management solutions.

We can consult with you to provide outdoor litter bins in traditional or contemporary designs to suit any backdrop or location. You will find our street bins in a broad range of materials, styles and colours. Whether plastic, stainless steel or concrete, you're bound to find a street litter bin to complement your space.

Choose the Albion litter bin for function and versatility or opt for the Sineu Graff Contemporary with its sleek looks, ideal for modern spaces.

For extra infrastructure safety, our RhinoGuard® Geo Protective Litter Bin has a PAS 68 core which guarantees a high standard of perimeter protection.









#### Heritage round

H x D (mm)	1071 x 570
Capacity (L)	100

Heritage square	
H x D x W (mm)	1220 x 615 x 615
Capacity (L)	100



#### Classic square

H x W x L (mm)	710 x 395 x 395
Capacity (L)	42
Weight (kg)	42

#### MATERIALS

Plastic

MDPE plastic



Finishes - a range of colour options are available.



Finishes - a range of colour options are available.

FEATURES

Gold bands as standard, stubber plate and plastic liner available as extra.



Haritaga aguara

MATERIALS

Plastic

MDPE

plastic

Gold bands as standard, stubber plate and plastic liner available as extra.







MATERIALS



Hardwoods Steel


# Litter bins





#### Albion

H x W (mm)	1090 x 555	
Capacity (L)	120	
Weight (kg)	54	



#### MATERIALS

Metal




Powder coated in any RAL colour steel

Customisation options available.







MATERIALS

Metal

Mild

steel

THIRD PARTY










Stainless steel

















#### Festival

H x W x Dia. (mm)	650 x 435
Capacity (L)	110
Weight (kg)	45

#### MATERIALS

Metal

steel



Powder coated in any RAL colour









## Loci

H x L x W (mm)	1104 x 525 x 420
Capacity (L)	75

Natural Elements	
H x L x W (mm)	1040 x 600 x 480
Capacity (L)	90

Geo	
H x L x Dia. (mm)	
	- i -

H x L x Dia. (mm)	1299 x 500 x 500
Capacity (L)	70

#### MATERIALS

Metal





MATERIALS

Timber



FSC<sup>®</sup>-certified hardwoods









MATERIALS



Stainless

steel

# Planters

Planters add a touch of nature to any scheme with designs and styles to suit both contemporary and traditional spaces.

Introducing plants to an outdoor space is a great way to bring a scheme to life and contributes to developing sustainable environments.






#### Boulevard circular

Height (mm)	Various	
Dia. (mm)	1200	
Capacity (L)	500	
Options	Maximum height: 2 rings with 1 base	
Weight (kg)	Ring unit: 127 / Base unit: 263	

Height (mm)	Various
L x W (mm)	1400 x 700
Capacity (L)	267
Options	Maximum height: 2 tiers with 1 base
Weight (kg)	Ring unit: 145 / Base unit: 293

MATERIALS



MATERIALS

Boulevard rectangle

Concrete









#### Strada circular

Height (mm)	500
Diameter (mm)	710
Capacity (L)	128
Weight (kg)	184


Height (mm)	500
W x L (mm)	500 x 500
Capacity (L)	55
Weight (kg)	109



#### Catherine

Height (mm)	128
W x L (mm)	131 x 122
Capacity (L)	1240
Weight (kg)	565






MATERIALS

Strada square





#### MATERIALS

Concrete









# Planters







Roots

MATERIALS

Timber

Hardwoods

Height (mm)	930 / 1030
W x L (mm)	640 x 640 / 640 x 1280 / 920 x 920 1100 x 1100 / 1400 x 1400
Capacity (L)	80 / 200 / 350 / 490 / 1080
Weight (kg)	54 / 70/ 104 / 114 / 166

Metal

Mild

steel

Height (mm)	450
W x L (mm)	2000 x 500
Capacity (L)	220
Weight (kg)	534

# Classica

Height (mm)	650	650
Dia. (mm)	1220	1620
Capacity (L)	300	600
Weight (kg)	910	1468

Metal



Rendezvous

MATERIALS





## MATERIALS

Precious stone effect





THIRD PARTY

THIRD PARTY





# Planters





#### Niu/Niu Oval

Height (mm)	400 / 380
Dia. (mm)	2370 / 4260 x 2350
Capacity (L)	315 / 1214
Weight (kg)	2040 / 1700

Height (mm)	420	530
W x L (mm)	320 x 1200	400 x 2000
Capacity (L)	35	113
Weight (kg)	174	370

#### MATERIALS

Concrete







Test-e





#### Box

Height (mm)	450
W x L (mm)	2000 x 500
Capacity (L)	220
Weight (kg)	534

#### MATERIALS

Concrete Grey White CA Grey Red Beige Eco-Grey\*



#### Acquario

Height (mm)	600
W x L (mm)	700 x 1980
Capacity (L)	150
Weight (kg)	660

#### MATERIALS

Precious stone effect




			5.25
Green	Black	White	Grey
alps	ebony	granite	granite





THIRD PARTY

THIRD PARTY





# Minimalist style choice

Left: Acquario planter. Above: Classica 1620 planter.

Perennial planter system Unlimited design possibilities tailored to your individual requirements.






Planters



# **Planters** Perennial planter system

Designed and manufactured in the UK, our modular Perennial planter system provides an excellent way to introduce planting with combined seating into outdoor spaces.

Using a series of connecting panels that can be of varying heights, the customisable planter solution allows for unlimited design capabilities which can be tailored to complement your scheme's individual requirements.



15/30 MAKE IT PROTECTIVE

Can be customised to incorporate any of our protective **RhinoGuard**<sup>®</sup> bollards.

To learn more about our protective offering go to page 24






- Four heights: 250mm, 500mm, 750mm and 1000mm
- Three corners: 45°, 90°, 135°
- Height transition panels
- Cantilever Distrikt<sup>®</sup> seating

#### **Customisation options**

· Length, height, angle, material and finishes







## Tree grilles and guards Ferrocast®


Incorporating trees into your scheme can add a welcome touch of greenery to any urban space. To protect the growth of young trees and safeguard existing ones, we offer a range of tree protection products in ferrocast and stainless steel.


Tree guards offer protection from damage in busy environments and tree grilles provide a practical solution for both established and newly planted trees.

#### MATERIALS









58P series


L x W (mm)	1000 / 1200
Aperture dia. (mm)	400


L x W (mm)	1000 / 1200
Aperture dia. (mm)	400

59P series

66P series

L x W (mm)	1000 / 1200
Aperture dia. (mm)	400







65P series

L x W (mm)	1000 / 1200
Aperture dia. (mm)	400

L x W (mm)	1000 / 1200
Aperture dia. (mm)	400

400

L x W (mm) 1800 x 400 Aperture dia. (mm) 400

**Tree grilles and guards** Steel



### Roots square

Dia. (mm)	1200
Aperture dia. (mm)	600

#### MATERIALS

Metal





Pebbles round

Dia. (mm)	1800
Aperture dia. (mm)	600

### MATERIALS





Powder coated in any RAL colour steel



## M3 tree grille and guard

Grille	H x W (mm) 1200 x 1200	Aperture dia. (mm) 494
Guard	H (mm) 1800	Dia. (mm) 485

#### MATERIALS



Stainless steel



# **Bollards** Ferrocast®

Use fixed Ferrocast® bollards to specify perimeters and delineate pedestrian walkways - available in different heights, diameters and designs.

These bollards are made from high-quality polyurethane, which is cast around an internal steel core for increased strength. The non-ferrous exterior protects the bollard against rust and corrosion, which means less maintenance than for cast iron styles.



983

130

Barnstaple

Height (mm)

Dia. (mm)

Dia. (mm)

#### MATERIALS

Ferrocast®



Painted in any RAL colour




All Ferrocast® bollards are available as root fixed with many also available as removable or surface mounted.

SIGNAGE

Gold highlights and ballotini rings available on selected bollards, on request.







200

950 145

Borough

Height (mm)

Dia. (mm)



#### Bristol

Dia. (mm)	895
Aperture dia. (mm)	160





Cambridge

Height (mm)	1203
Dia. (mm)	117

Bury		
Height (mm)		8
	1	

	City
815	Height (mm)
188	Dia. (mm)

	Capital		Cheltenham		City of London	
1075	Height (mm)	1050	Height (mm)	1130	Height (mm)	1307

Dia. (mm)

246

Camden

Height (mm) Dia. (mm)



240

Dia. (mm)



165

Dia. (mm)



240

Clapham Junction		Contemporary		Cornwall		Deansgate	
Height (mm)	1000	Height (mm)	1143	Height (mm)	1095	Height (mm)	1140
Dia. (mm)	125	Dia. (mm)	250	Dia. (mm)	124	Dia. (mm)	115





Newcastle

Height (mm)	1000
Dia. (mm)	168



950

156



#### Redbridge

Height (mm)	915
Dia. (mm)	197







#### Sunderland low

Height (mm)	780
Dia. (mm)	136

## Waterside

Red Route

Height (mm)

Dia. (mm)

Height (mm)	1000
Dia. (mm)	175


#### Waterloo

Height (mm)	1000
Dia. (mm)	178

Street furniture

Slough	Stockport	Sunderland

Seaham		Slough	Slough Stockport		ockport Sur		Sunderland	
Height (mm)	850	Height (mm)	900	Height (mm)	1215	Height (mm)	896	
Dia. (mm)	150	Dia. (mm)	150	Dia. (mm)	190	Dia. (mm)	157	







Delaval

Morpeth

Height (mm)	800
Dia. (mm)	150



1000

115



East Sussex

Height (mm)	915
Dia. (mm)	168



Height (mm)	917
Dia. (mm)	175



Maidenhead

Dixon

Height (mm) Dia. (mm)

Height (mm)	918
Dia. (mm)	165



Manchester

Height (mm)	1000
Dia. (mm)	225

Eastbourne		Gateshead		Hackney		Hendon	
Height (mm)	1178	Height (mm)	845	Height (mm)	970	Height (mm)	900
Dia. (mm)	218	Dia. (mm)	172	Dia. (mm)	155	Dia. (mm)	147
Cornwall		Manchester millennium		Middleton		Hexham	

Height (mm) 1098 Height (mm) 900 Height (mm) Height (mm) 1000 900 Dia. (mm) Dia. (mm) Dia. (mm) Dia. (mm) 104 248 171 110

# Rhino bollards

Helping separate individual areas and guide movement.






# **Bollards** Rhino

Our static bollards are available in stainless steel or mild steel options.

Our stainless steel options are grade 316 which makes them exceptionally durable and require little maintenance. Our mild steel options provide strong simple, cost effective solutions.

#### MATERIALS



bollard base are hidden from view.

For use in applications where bollards are installed

into existing paving, ensuring any gaps around the

Root fixed, surface mounted and removable.

Reflective banding available in amber, red,

**BRUSHED SATIN BEZEL** 

FIXING METHODS

REFLECTIVE OPTIONS

white or half red/half white.

r coated RAL colour		



RS001	
Height (mm)	1000
Dia. (mm)	114





#### Leeds flat topped

Height (mm)	1000
Dia. (mm)	114 / 140



#### SS (304) RF flat/semi dome/mitre top

Height (mm)	1200
Dia. (mm)	114

## RS002

Height (mm)	1000
Dia. (mm)	114



#### RS150

Height (mm)	1000
Dia. (mm)	114

RS004

Height (mm)	1000
Dia. (mm)	114



100

RB123	RB101	BB109	

RB111		RB123		RB101		RB109	
Height (mm)	1000						
Dia. (mm)	114 / 168						




# **Bollards** Concrete and timber

#### Concrete

Our concrete bollard range contains numerous designs and finishes, from utilitarian through to contemporary.

Product is root fixed.





#### Timber

Bring natural materials into an urban environment with the use of our timber bollards.

Product is root fixed.



Height (mm)	476
Dia. (mm)	305



#### Wexham

Height (mm)	760
Dia. (mm)	230

#### Unfinished basic option available



#### REFLECTIVE BANDING OPTIONS

**Concrete bollards** - available with beadalite reflective coating.

Timber bollards - reflective banding available.





#### Wexham major

Height (mm)	750
Dia. (mm)	330

#### Woodhouse

Height (mm)	750
Dia. (mm)	330

#### Wilmslow

Height (mm)	455
Dia. (mm)	150





600

600 x 600



Spherical 500

Height (mm)	500
Dia. (mm)	500



Spherical 700	Lifting loops sold separately
Height (mm)	700
Dia. (mm)	700



#### Rounded top

Cube

Height (mm)

L x W (mm)

Height (mm)	1000 / 1500
Dia. (mm)	125 / 150

Height (mm)	1000 / 1500
Dia. (mm)	125 / 150

Pyramid top



# **Bollards** Telescopic

A fully retractable option, our range of telescopic security bollards simply slide into their host tube below ground when not in use.

The range includes bollards independently tested and approved by Sold Secure.

Lift Assist options are available.

MATERIALS



steel steel RD 4 SS

500

76

Height (mm)

Dia. (mm)

SS R14	LIFT ASSIST
Height (mm)	670 / 850
Dia. (mm)	114

RT R14 / RT R14 HD	
Height (mm)	670 / 850
Dia. (mm)	114

- 1	
- 1	
- 1	
- 1	
- 1	
- 1	
- 0 <b>4</b>	De:
	 -

A

RT SS 5	LIFT
Height (mm)	710
Dia. (mm)	101

Ferrocast<sup>®</sup>



REFLECTIVE BANDING OPTIONS

Selected telescopic bollards are available with or without single or double recessed reflective banding in amber, red or white or half red/half white.



RT R8 HD		RT SQ8 HD	Status	RI
Height (mm)	670	Height (mm)	670	He
Dia. (mm)	90	Dia. (mm)	90	Di

RT SU5	
leight (mm)	730
Dia. (mm)	135



RT RD4

Height (mm)	500
Dia. (mm)	76

# **Bollards** Fold down/lift out

A great value choice, these simple and quick to use bollards are available in a choice of styles for demarcation or deterring unwanted parking.

MATERIALS



-





MS GPC square fold down

Height (mm)	750
Dia. (mm)	50 / 80



#### MS GPC lift out

Height (mm)	970	1100
Dia. (mm)	80	100



#### Round fold down

Height (mm)	600
Dia. (mm)	60

Available in galvanised steel or powder coated (Black RAL 9005 or Yellow RAL 1023)



#### RT 80

Height (mm)	960
W x Dia. (mm)	80 x 80

# Bollards - Telescopic - fold down/lift out

# Bollards Illuminated

Illuminated bollards help add elements of light into public space, creating comfort and safety where required.

Each of these bollards incorporates energy efficient technology.



Mild Stainle steel steel

MATERIALS





#### Geo LED

Height (mm)	1100
Dia. (mm)	140

#### Geo LED marker

Height (mm)	1100
Dia. (mm)	140







#### Boston LED flat top SS

Height (mm)	1100
Dia. (mm)	200

#### Boston LED domed/flat top

Height (mm)	1100
Dia. (mm)	200

Boston is available in mild steel - flat or domed top and stainless steel in flat top.



# **Street barriers**

For effective demarcation of walkways and car parking security, Marshalls' range of steel hoop barriers provides sturdy protection in a number of clean and versatile designs.

Hooped street barriers help to control vehicle access, and are commonly used to act as perimeters around designated car parking areas. The size and shape of hoop barriers also allow for the secured fixing of bicycles and scooters to help prevent theft or damage.

# MADE IN BRITAIN



Removable option shown here in galvanised mild steel with a yellow	

powder coated finish.

#### RB60 hoop barrier

Height (mm)	500
Length (mm)	1400
Dia. (mm)	60
Fixing methods	Root fixed, surface mounted or removable

#### MATERIALS



#### RB76 hoop barrier

650
1400
76
Root fixed, surface mounted or removable

#### MATERIALS





#### Door hoop barrier

Height (mm)	1025 / 1000
Length (mm)	600
Dia. (mm)	48
Fixing methods	Root fixed, surface or sub- surface mounted

#### MATERIALS



# M

#### Light protector

Height (mm)	700
Dia. (mm)	1000
Fixing methods	Root fixed

#### MATERIALS





# Reasons to trust our Post and Rail products



#### A wide choice of products

We offer a comprehensive collection of creative solutions.



#### Engineered design

A specialist team on-hand to work with you to achieve your vision.



### Made in Britain

All of Marshalls' own brand street furniture is Made in Britain.



#### **Unique material**

Includes our durable and corrosionresistant Ferrocast<sup>®</sup> solutions.

Designed to safely separate people from edges and roads.

Our Post and Rail range focuses on barriers that protect property and people. Whether you need to add safety measures at the roadside or warn of dangerous edges in a seafront scheme, a robust Post and Rail system offers a reliable and long-lasting protective measure.

With a variety of contemporary and traditional designs, our Post and Rail systems have been developed to protect perimeters without detracting from the view.


Our designs come in a choice of carefully selected materials including Ferrocast<sup>®</sup>, stainless steel and mild steel.


Our solutions are available in modular configurations that can be perfectly tailored to your project.

#### For more inspiration visit:



marshalls.co.uk/commercial/ landscape-protection





# Post and Rail Systems

Our post and rail systems sustain specified design loadings while blending with the surrounding environment.

# Achieving your vision

Our specialists can bring your visions to reality, managing the process from conception through to installation.

With our expert team at every stage, including dedicated project managers, experienced production operators with state-of-the-art technology and accredited and qualified installers, you can be confident you are in good hands.

Here are just some of the ways we can ensure the end result for your post and rail brief meets and even exceeds your requirements.

# Tender process

Our specialist teams can support you through the tender process. This includes everything from a detailed assessment of the brief and requirements of the space to an outline programme and recommendation package.

### Site survey

2

Site surveys can incorporate both GPS and robotic total stations to gather robust data as well as allowing our in-house team to assess the environment for the installation of products at later stages.

# Design development

3

We transform your ideas into deliverable solutions. Drawings are produced in accordance with British Standards and ROSPA regulations along with supporting material such as samples, 3D models, visuals and renders.

# Production

4

We tailor our manufacturing programme to the needs of the project, ensuring smooth delivery and installation, ultimately saving you time and money.

# Project management & installation

5

We offer a fully-managed cradle to grave installation service overseen by an accredited project manager and conducted by approved Marshalls' installers. This ensures the highest standards every time and complete peace of mind from start to finish.

# Project completion

6

Our support doesn't end after installation. We provide support and guidance on maintenance and effective operation over the lifetime of any product.

# Ferrocast<sup>®</sup> systems

Ferrocast<sup>®</sup> post and rail systems are a decorative means of restricting access to potentially hazardous areas. They are ideally suited to waterfronts, bridges and near steep inclines as the material will not rust or corrode.

MATERIALS

Ferrocast®

Painted in any RAL colour



Berwick	
Height (mm)	1269 - 1277
Post dia. (mm)	55
Rail dia. (mm)	50
Rails/section	2 or 3
Weight (kg)	15
Fixing methods	Root fixed or surface mounted

	Harbou
Т	Height
	Post di
1	Rail dia
	Rails/s
1	Weight
	Fixing r

Harbour	
Height (mm)	1139 - 1407
Post dia. (mm)	75
Rail dia. (mm)	50
Rails/section	2, 3 or 4
Weight (kg)	18
Fixing methods	Root fixed or surface mounted



2	
9	Morpet
	Height
	Post dia
	Rail dia
	Rails/s
	Weight
	Fixing r


Morpeth		
Height (mm)	700 - 900	
Post dia. (mm)	110	
Rail dia. (mm)	50	
Rails/section	1 or 2	
Weight (kg)	15	
Fixing methods	Root fixed or surface mounted	



### Ferrocast®







Waterfront balustrade	
Height (mm)	600 - 1000
Post dia. (mm)	N/A
Rail dia. (mm)	50
Rails/section	2, plus 3, 6 or 8 wires
Weight (kg)	16 - 23
Fixing methods	Surface mounted

. . .





Height (mm)

Post dia. (mm)

Rail dia. (mm)

Rails/section

Weight (kg)

Fixing methods

1045

80

50

2

14

Surface mounted

# Steel systems

Whether you need to add safety measures at the roadside or warn of dangerous edges, we also offer a robust pedestrian rail system in stainless steel which provides a reliable and long-lasting protective measure.





Height (mm)	1200
Post dia. (mm)	N/A
Rail dia. (mm)	48.3
Rails/section	3 or 5
Weight (kg)	17
Fixing methods	Surface mounted

#### MATERIALS




Festival		
Height (mm)	1200	
Post dia. (mm)	N/A	
Rail dia. (mm)	48.3	
Rails/section	3 or 5	
Weight (kg)	17	
Fixing methods	Surface mounted	

MATERIALS



Vaterside balustrade



M3
Height (mm)

Height (mm)	1190
Post dia. (mm)	N/A
Rail dia. (mm)	48.3
Rails/section	2 rails, 6 wires
Weight (kg)	17
Fixing methods	Surface mounted



#### Festival

Height (mm)	1190
Post dia. (mm)	N/A
Rail dia. (mm)	48.3
Rails/section	2 rails, 6 wires
Weight (kg)	17
Fixing methods	Surface mounted

#### MATERIALS

#### POSTS & RAILS



### **TENSION WIRES & FITTINGS**

Metal



Stainless steel

#### MATERIALS

#### POSTS & RAILS





Powder coated in any RAL colour

#### **TENSION WIRES & FITTINGS**

#### Metal

Mild

steel



steel

# DecorGuard

DecorGuard is a decorative pedestrian guard rail system. The range clearly marks those areas to be used only by traffic, with a physical barrier preventing entry to the traffic zone. By directing pedestrian flow, DecorGuard can be used to encourage the use of 'safe' road crossing zones.



#### FINIAL POST OPTIONS



Court

Chancellor

Regent











Type 5



Type 4



RAIL ARI	RANGEMENTS	
HV2	0000000 0000000	Straight roads, moderate to high speeds
HV4	00 <sup>00</sup> 00 <sup>0</sup> 00 <sup>00</sup> 00 <sup>0</sup> 00 <sup>0</sup>	Straight roads, low to moderate speeds; curves
HV8	°°°°°°°°°°°°°°°°°°°°	Curves <15m radius, e.g. bellmouths

hi vis = High Visibility | PGR = Pedestrian Guardrail

Туре З

Post and Rail

	<b>Type 1</b> (hi vis)	type 1         Type 2         Type 3         Type 4           vis)         (reduced hi vis with top rail)         (PGR3)         (Reduced PGR3 with top rail)		<b>Type 5</b> (PGR2)	
Height - top of panel (mm)	1000	800	1000	864	1020
Height - top of rail (mm)	N/A	1000	N/A	1000	N/A
Post dia. (mm)			88.9 / 114.3		
Panel options	HV2 / HV4 / HV8 PGR3 PGR2				PGR2
Panel width (mm)	1000 / 1500 / 2000				
Fixing methods	Root fixed or surface mounted				

An extension of our Geo street furniture range, the handrail and balustrades are customisable dependent on specific project needs.

Manufactured from 316 stainless steel, providing a resilient solution regardless of usage or weather conditions.

MATERIALS

Metal



Stainless steel

#### COMPLEMENT IT

Geo post and rail is also available as a comprehensive street furniture range.

For our protective Geo options go to page 38


For our Geo street furniture range go to page 56



Versatile for a wide range of applications whether it's straight runs, long runs, ramps, curves, corners or steps.







	Vertical balustrade	Vertical balustrade with handrail	Post with arena handrail	Post with single handrail	Post with twin handrail
Height - top of panel (mm)	110	5	1000	100	00
Height - top of rail (mm)	1000		1000	100	00
Post dia. (mm)	76.1		48.3	76.	1
Rail dia. (mm)	48.3				
Panel width (mm)	1000 / 1500 / 2000				
Fixing methods	Root fixed or surface mounted				

## Reasons to choose our Active Travel products

From segregation solutions, traffic bollards and traffic calming systems to cycle stands and storage, Marshalls Landscape Protection can help to transform towns and cities into safe environments for people to travel safely and enjoy.

Many cycling-related developments, such as cycle lane segregation, junction modifications and road quality improvements bring benefits to the longevity of a scheme. They also create conditions which can promote a reduction in road casualties and air and noise pollution.

Installing infrastructure and products that support these methods of travel will not only have a positive impact on health and wellbeing, but will also reduce emissions. This can be a transformative step towards a more sustainable future for generations to come.

Helping individuals to travel safely in urban surroundings.

#### For more inspiration visit:

marshalls.co.uk/commercial/





# Segregation solutions Concrete cycle unit

Our concrete cycle segregation unit is designed to be installed in new or existing schemes as a demarcation tool to safely segregate cyclists from traffic.

Its 45 degree profile provides a soft transition between the carriageway and the cycle lane, allowing cyclists of all abilities to use the cycleway without colliding with a steep kerb or catching a pedal.

The outside kerb offers a bullnose profile designed to stop vehicles mounting the unit and potentially endangering the cyclist.

MATERIALS

Concrete







Right-hand unit





#### Durable and long-lasting

Resistant to water and high temperatures, concrete is known for its resilience and strength and brings multiple benefits when used for commercial projects.

1 Smooth finish

Left-hand unit

Manufactured using concrete and finished to give a smooth surface

	Left-hand unit	Right-hand unit	Intermediate unit
Weight (kg)	171		179
Height above ground (mm)		125	
L x W (mm)		1000 x 300	
Fixing method		Root fixed	

# Segregation solutions ZICLA®


ZICLA® works to make cycling safer and city streets more accessible, cyclable and walkable for everyone. ZICLA® does all this by creating products from the waste these cities generate.

ZICLA®'s Zipper® system modules allow the segregation of cycle lanes, building roundabouts, and street corner projections. The Zebra Family® of cycle lane separators enables the segregation of bike lanes. The Vectorial® system allows widening sidewalks to improve urban accessibility in general and accessibility and safety for the public at bus stops in particular.

All these products are reversible and once they have fulfilled their function, they can be dismantled and reinstalled elsewhere to meet specific needs at any given time.



Modular system to improve accessibility in the streets.



MATERIALS

Plastic



Recycled moulded plastic

REFLECTIVE STRIPE COLOURS









	1	2	3	4	5	5
	Main module	Main module with hinge	Front curbs	Right and left curbs	Ramp to the sidewalk	Ramp to the road
Weight (kg)	10.7	11.8	9.93	11.2	18.4	Variable
Height (mm)	180	180	180	180	40	Variable
L x W (mm)	420 x 420	480 x 180	685.8 x 127	839 x 139	506 x 700	Variable











Zipper<sup>®</sup> A | Zero: four anchorage points
 Zipper<sup>®</sup> B | Zero: three anchorage points







	ZICLA® Zebra® 9 Zero	ZICLA® Zebra® 13 Zero	ZICLA® Zebra® Individual Planter	ZICLA® Zebra® Double Planter	ZICLA® Zipper® A Zero	ZICLA® Zipper® B Zero
Weight (kg)	3.4	6.1	8	16	3.86	2.48
Height above ground (mm)	90	130	400	700	12	5
Max. L x W (mm)	775 x 164	820 x 210 1000 x 300 280 x 280			280	
Fixing method	Surface mounted					

# Bollards Contour

The Contour bollard is low maintenance, easy to fit and proves to be a popular choice, particularly on roads where high visibility is key.

Height (mm)	1240
Max. L x W (mm)	350 x 680
Weight (kg)	10
Fixing methods	Surface mounted and fixed with bolts

MATERIALS

Plastic

Recyclable moulded plastic

STANDARDS

Conforming to BSEN 12899 it can be used on any UK road.

THIRD PARTY

# 

 Height (mm)
 920

 Max. L x W (mm)
 350 x 350

 Weight (kg)
 7.5

 Fixing methods
 Surface mounted and fixed with bolts

#### MATERIALS

Plastic



Recyclable moulded plastic

#### STANDARDS

**Conforming to BSEN 12899** it can be used on any UK road.





# Simbol

Designed to resist tearing and reforms with little or no distortion, even after multiple impacts. The flexible design reduces the likelihood of damage or injury and the need of replacement. A hoop traffic sign with is the ideal solution for locations which clearly need to inform the public of a specific highway instruction. Sentry

Developed to help reduce accidents on rural roads by alerting drivers to hidden junctions, the Sentry bollard is easy to handle and install.

Active travel

1125
450
450
Sub-surface mounted and fixed with bolts



Metal



Stainless steel



Length / Dia. (mm) 1500 166 Weight (kg) 7	(kg) 7 Root fixed into
Weight (kg) 7	Root fixed into
	methods
Fixing methods Root fixed into concrete foundation	concrete foundation

Plastic



Rotationally moulded plastic







# **Bollards** Manchester

A traditional style bollard reminiscent of historic the cast iron bollards with options for reflective banding.

Height (mm)	1010
Dia. (mm)	201
Fixing methods	Anti-ram, permanent, bayonet socket, or surface mount

MATERIALS

Plastic



Rotationally moulded MDPE

Banding recesses are polished.

#### **BANDING OPTIONS**

5mm banding: RA1 or RA2 high intensity. Metallic banding: sliver or gold option.



Height (mm)	1037.4
W x D (mm) (top)	395 x 50
Fixing methods	Bolted to a concrete foundation

#### MATERIALS

Plastic



Rotationally moulded MDPE

#### STANDARDS

Conforms to BS 8442:2006 (14) for Retro Reflective Self Righting Bollards, BS 12767 for Passive Safety of Non Harmful Structures and BS EN 12899-2:2006 5.6.4 for Torsion Test.



# Night owl

Able to completely collapse on impact, the Night Owl has a highly durable sign face minimising the typical cracking and blistering seen on inferior alternatives.

Product can be single or double sided.

# Sentinel sign 300

With a modern, sleek design the Sentinel bollards are the ideal choice in urban, retail and industrial locations.

Product can be single or double sided.

Other sign options available.

Height (mm)	1419
Dia. (mm)	364
Fixing methods	Permanent, socketed or surface mounted

THIRD PARTY

MATERIALS

Recyclable moulded plastic

Plastic

# Weebol flex

The robust material, recessed graphics and a flex point designed to minimise panel creasing and return the bollard to near 100% upright position, reduces the likelihood of damage or injury and the need to replace this bollard following an impact.

Height above ground (mm)	1000
Overall length (mm)	1620
Dia. (mm)	400
Fixing methods	Bolted to ground using surface mounting fixing kit supplied

MATERIALS

Plastic



Rotationally moulded plastic

STANDARDS

Meets the requirements of BS EN 12767:2004 100:NE4.







# **Bollards** Heritage sign 300 visibol

Our heritage range of bollards come in a number of different styles and offer the perfect solution for local authorities and councils. The bollards can also be personalised to fit in with their surroundings or a certain colour scheme.

Product can be single or double sided.

Other signs available.

Height (mm)	1419
Dia. (mm)	364
Fixing methods	Permanent, socketed or surface mounted



MATERIALS

Plastic

Recyclable moulded plastic

BANDING OPTIONS

Reflective banding: RA1 or RA2 high intensity.

Metallic lower banding: optional.

# Rhino supermarket

The Rhino Supermarket bollard offers excellent strength, visibility and practicality and is perfect for large car parks.

Height (mm)	1000
L x W (mm)	125
Fixing methods	Root fixed into concrete foundation, removable or base plate

#### MATERIALS

Plastic



Recyclable moulded plastic




THIRD

# Heritage

Heritage bollards are suitable for traffic management and traffic calming schemes in busy locations or cordoning off restricted areas or one way streets.

These traditional bollards can also be personalised to fit in with their surroundings and individual colour schemes.





1024

171

## MATERIALS

Plastic



Recyclable moulded plastic



Heritage 150

Height (mm)	1024
Dia. (mm)	171

Optional reflective

banding.



Sentinel 150 visibol

Heritage 150 visibol

Height (mm)

Dia. (mm)

Height (mm)	1030
Dia. (mm)	166

#### Heritage decorative

Height (mm)	921
Dia. (mm)	171

The Sentinel range offers a modern, sleek choice for demarcation of a pedestrian or parking area for urban, retail and industrial schemes.

#### MATERIALS

Plastic







Height (mm)	1030
Dia. (mm)	166



#### Sentinel decorative

Height (mm)	926
Dia. (mm)	166

**Bollards** Recycled

Our durable recycled bollards are not only manufactured from recycled plastic but are also recyclable.





#### MATERIALS



Recycled plastic



Height (mm)	1200
Dia. (mm)	120

3 grooves white tape

Height (mm)	

3 grooves red tape

Height (mm) 1200 Dia. (mm) 120

Height (mm)	1200
	1

120

3 grooves red and white tape

Dia. (mm)

• •







#### 50mm groove white tape

# Height (mm) 1500 Dia. (mm) 120

1500
120

# 50mm groove red and white tape

Height (mm)	1500
Dia. (mm)	120



#### 50mm groove white tape

50mm groove red tape

1500 120

Height (mm)	1500	Height (mm)
Dia. (mm)	120	Dia. (mm)

a state	
50mm groove red tape bollard	Contraction of the



#### 50mm groove red and white tape

Height (mm)	1500
Dia. (mm)	120

# **Traffic calming** Speedcheck starter blockramp system

Allowing for ramps to be constructed using block paving, it only requires excavation beneath the ramp areas, keeping disruption to a minimum.

Height (mm)	200 - 220
L x W (mm)	200 x 200
Weight (kg)	193



A durable and low maintenance segmental concrete ramp system ideal for traffic calming and speed reduction.

Height (mm)	180 - 255
L x W (mm)	914 x 200
Weight (kg)	79 - 105





Concrete



Natural Charcoal

#### PROFILES

Two profiles are available, allowing for slopes of 1:10 and 1:15 inclination.





#### MATERIALS

Concrete



#### PROFILES

The profile has excellent ride-over quality for cars, emergency vehicles and buses. Standard pieces can be laid kerb-to-kerb, perfect for pedestrian crossings.





# Black & yellow rubber speed bump

Offering a superb method of slowing traffic in low speed limit areas such as car parks, residential areas, office complexes and industrial areas.

Height (mm)	45
L x W (mm)	Intermediate module - 500 x 300 Radius end module - 250 x 350
Weight (kg)	193

# Interlocking traffic blocks

Designed to aid in the creation of temporary traffic islands and diversions, the blocks link with a simple bar and bolt system.

Height (mm)	180 - 255
L x W (mm)	914 x 200
Weight (kg)	79 - 105











MATERIALS	
Concrete	Finishes - handpainted

Black Yellow White



Light grey



# Traffic calming Rubber speed cushion


Built to withstand heavy traffic on busy roads and to meet stringent safety standards, these durable rubber cushions are ideal for most traffic-calming situations and locations.



MATERIALS







4 piece	
Height (mm)	65
L x W (mm)	2000 x 1800
Weight (kg)	200

# Active travel

# Concrete speed cushion

With simple installation our speed cushions are offered in two designs and offer an economical and hard-wearing solution for reducing traffic speed in pedestrian areas and rail zones.

The plateau design can be deployed in a number of different environments and the domed cushion is recommended for areas with bus traffic.

Lifting loops are supplied separately.





	SP1 plateau	SP2 plateau	SP3 plateau	SP1 domed
Height (mm)		205		200
L x W (mm)	1900 x 1900	1900 x 1600	1900 x 1750	1900 x 1900
Weight (kg)	1450	1245	1365	1470

#### MATERIALS



Charcoal



Red

# **Cycle stands and racks** Sheffield

The Sheffield cycle stand has a classic design which can accommodate two cycles.

Height (mm)	750
Length (mm)	750
No of cycles	2 per stand
Fixing methods	Root fixed or surface mounted



#### MATERIALS

Metal Ferrocast<sup>®</sup> Mild steel Stainless steel

Finishes

Mild steel galvanised

Stainless steel brushed





Available with or without tapping bar.





# Red Route

The Red Route cycle stand is a simple yet functional design which can accommodate two cycles.

It includes reflective tapes and signs and is manufactured with Ferrocast<sup>®</sup>, providing a highly durable finish.

Height (mm)	850
Length (mm)	750
No of cycles	2 per stand
Fixing methods	Root fixed or surface mounted

#### MATERIALS



Ferrocast® Painted in any RAL colour







The Fin stainless steel cycle stand has a contemporary design which can accommodate two cycles.

Available in grade 316 which offers high resistance to corrosion.

Height (mm)	800
Length (mm)	1020
No of cycles	2 per stand
Fixing methods	Root fixed or surface mounted



#### MATERIALS



Stainless steel







# Cycle stands and racks RhinoGuard<sup>®</sup> Geo

The Geo cycle stand is an alternative form of protection to bollards. Integrating crash tested protective technology into cycle parking can help to minimise street clutter and maintain the aesthetics of a public space.

Height (mm)	1100
L x W (mm)	1700 x 1132
Dia. (mm)	140 & 204
No of cycles	Up to 2 per stand
Fixing methods	Root fixed



#### MATERIALS

Metal



steel

SECURITY SPECIFICATION







Geo hoop

Geo hoop cycle stands provide visual cohesion with the rest of the Geo range. The stand incorporates a tapping bar for the visually impaired and offers a robust level of security and locking positions for all types of cycles.

Height (mm)	850
L x W (mm)	550 x 850
No of cycles	Up to 2 per stand
Fixing methods	Root fixed or surface mounted



Metal

Stainless steel







# Multi-hoop

A simple and stylish solution, the R10 multihoop cycle rack consists of five Sheffield cycle stands in one unit. Easy to install, it is ideal for locations where there is a high demand for cycle parking: senior schools, colleges, universities and workplaces.









	3 hoop	5 hoop
Height above ground (mm)	950	950
Length (mm)	1534	3000
Width (mm)	1450	1245
Weight (kg)	33	58
Dia./profile size (mm)	48	
Fixing method	Free standing or bolted to ground	

# **Cycle shelters** Velozone

The Velozone cycle shelter is available as a single shelter or as multiple modules.

Velozone is manufactured from structural grade mild steel which can be supplied powder coated in a range of RAL colours to suit your scheme's requirements.

Installation is available on request.




#### COMPLEMENT IT

Marshalls offers a wide range of cycle stands suitable for use with the Velozone shelter.

To learn more go to page 140







Easy installation Adjustable feet are supplied as standard to allow for fixing on uneven ground within certain tolerances.

# Customisable lengths can be created from the following module sizes:

Width (mm)	2000	3000	4000	5000
H x D (mm)	2156 x 1964			
Weight (kg)	220	270	320	380
Fixing methods	Surface fix to prepared foundation			

Pluto is an extremely functional and robust shelter and can be installed in confined spaces. The single shelter has a modular capability allowing it to be extended to create a shelter suitable for any space.

The minimum shelter width is one metre and can be extended in two metre increments.



#### COMPLEMENT IT

Marshalls offers a wide range of cycle stands suitable for use with the Pluto shelter.










259


**Trusted suppliers** 

# Beautifully designed street furniture brought to you by our trusted suppliers.

As well as creating our Marshalls' brand street furniture products, we work closely with some of the world's leading street furniture designers and manufacturers.

Our suppliers allow us to offer recognised brands within street furniture and ensure that our portfolio offers a wide range of options for all urban space requirements.





Far left: Bellitalia Giove planters; Left: Escofet Milenio bench. Below: Rendezvous seat and litter bin.




**Trusted suppliers** Bellitalia



Based in Italy, Bellitalia brings over 60 years of experience of urban concrete and marble aggregate street furniture.

Experts in urban street furniture, the Bellitalia range brings classic lines and style to schemes and is exclusively available in the UK from Marshalls Landscape Protection.

To see the complete range visit the website: **bellitalia.net** 





#### Acquario planter

Height (mm)	600
Width (mm)	700
Length (mm)	1980
Weight (kg)	660

#### MATERIALS

Precious stone effect

1			1	-
White	Cream	Yellow	Red	Multi
carrara	botticino	mori	verona	veneziano
NS				
Green	Black	White	Grey	
alps	ebony	granite	granite	



#### Eraclea bench

Height (mm)	450
Width (mm)	610
Length (mm)	2200
Weight (kg)	595

#### MATERIALS

#### Precious stone effect







#### Demetra seat

Height (mm)	480
Width (mm)	600
Weight (kg)	1170

#### MATERIALS

Precious stone effect

				in the
White	Cream	Yellow	Red	Multi
carrara	botticino	mori	verona	veneziano



Timber



Hardwoods

# Trusted suppliers Escofet

# Escofet.

Escofet is a Barcelona-based company which, through the design and industrialisation of urban elements and architectural concrete, transforms cities and promotes the use of public space.



To see the complete range visit the website: **escofet.com/en** 






# 

#### Twig seat

Dimensions (mm)	2370 x 1930 x 460
Weight (kg)	1750
Material	Reinforced concrete





#### Timber bench accessories

Dimensions (mm)	70 x 44 x 45
Weight (kg)	17

Range also includes seat with backrest, backless bench, chair, litter bin, ashtray



# MATERIALS



Polished Polished Polished Polished Polished Polished Polished	Grey	Black	White	CA Grey	Red	Beige
grey black write cAgrey red berge	Polished	Polished	Polished	Polished	Polished	Polished
	grey	black	white	CA grey	red	beige







#### Box planters

Dimensions (mm)	Rectangle: 2000 x 500 x 450 Square: 1000 x 1000 x 450		
	Rectangle: 534		
Weight (kg)	Square: 475		
	Square 475kg		
Material	Concrete		

#### MATERIALS

#### Concrete



# Escofet

Our other products More from Marshalls

# Beyond paving, we offer a range of other solutions.

As a complete external landscaping products business, we cover all manner of outdoor space designs and functions.

Beyond paving, here are the other hard landscaping, infrastructure and water management solutions we supply:

#### Natural Stone & Concrete Paving

We are the UK's leading supplier of natural stone and concrete manufactured products for the built environment.

With multiple sizes, textures and colours plus permeable options, we offer an extensive range of hard wearing concrete solutions to suit any landscape.

#### **Bricks & Masonry**

We offer a variety of manufactured concrete products for the construction industry that come in multiple finishes and colours to suit all building and aesthetic requirements.

#### **Civils & Drainage**

We make sustainable infrastructure, water management and retaining wall solutions for a safer and better environment.


#### Aggregates

From a network of wholly owned and trusted British quarries, we offer a choice of products from general purpose building sand to aggregates for groundworks.

We offer ranges that are all certified to British Standard requirements or higher.

#### Mortars & Screeds

We offer ready-to-use mortar, screed and flow screed delivered from a network of wholly owned manufacturing locations located across the UK.
















marshalls.co.uk/commercial/landscape-protection

